


SHAPE	SIZE IN	MULTI TOOL	DIE CLEARANCE								CUTTING THICKNESS (Inch)		
			.002"	.004"	.006"	.010"	.012"	.020"	.03"	.035"	Aluminum	CRS	Stainless steel
Circle	0.040				2	1					0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Circle	0.063				2	4					0.015 TO 0.090	0.017 TO 0.074	0.018 TO 0.059
Circle	0.074				2	1					0.015 TO 0.090	0.017 TO 0.074	0.018 TO 0.059
Circle	0.086	TC 2020			1	1					0.015 TO 0.090	0.017 TO 0.074	0.018 TO 0.059
Circle	0.089				1						0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Circle	0.094				1		1	1			0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Circle	0.101				2						0.015 TO 0.063	0.017 TO 0.047	0.018 TO 0.036
Circle	0.107				1						0.015 TO 0.063	0.017 TO 0.047	0.018 TO 0.036
Circle	0.113				2		2	2			0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Circle	0.120				2	1		1			0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Circle	0.125		TC2020,200			1					0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Circle	0.131				1	1					0.015 TO 0.090	0.017 TO 0.074	0.018 TO 0.059
Circle	0.137	TC2020			2	1		2			0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Circle	0.139				1	1					0.015 TO 0.090	0.017 TO 0.074	0.018 TO 0.059
Circle	0.140	TC2020,200			1						0.015 TO 0.063	0.017 TO 0.047	0.018 TO 0.036
Circle	0.143	TC2020				2					0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Circle	0.149					1					0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Circle	0.156	TC2020,200			1	1					0.015 TO 0.090	0.017 TO 0.074	0.018 TO 0.059
Circle	0.161				1						0.015 TO 0.063	0.017 TO 0.047	0.018 TO 0.036
Circle	0.166	TC2020,200			1	1					0.015 TO 0.090	0.017 TO 0.074	0.018 TO 0.059
Circle	0.169							3			0.100 TO 0.250	0.104 TO 0.134	0.063 TO 0.121
Circle	0.171							1			0.100 TO 0.250	0.104 TO 0.134	0.063 TO 0.121
Circle	0.177				2	1		1			0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Circle	0.180	TC2020				1					0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Circle	0.187	TC2020				1					0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Circle	0.188				1	1					0.015 TO 0.090	0.017 TO 0.074	0.018 TO 0.059
Circle	0.189	TC2020,200				1					0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Circle	0.190				1						0.015 TO 0.063	0.017 TO 0.047	0.018 TO 0.036
Circle	0.194	TC2020			2	1	1				0.015 TO 0.090	0.017 TO 0.074	0.018 TO 0.059
Circle	0.198	TC2020			2	1	1	1			0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Circle	0.203	TC2020			1						0.015 TO 0.063	0.017 TO 0.047	0.018 TO 0.036
Circle	0.205					1					0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Circle	0.211					1					0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Circle	0.213	TC2020,200			1	1	1				0.015 TO 0.090	0.017 TO 0.074	0.018 TO 0.059
Circle	0.216					1		1			0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Circle	0.219	TC2020,200						1			0.100 TO 0.250	0.104 TO 0.134	0.063 TO 0.121
Circle	0.221						2				0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Circle	0.229						1				0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Circle	0.236	TC2020,200			2			1			0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Circle	0.244						1				0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Circle	0.250	TC200				1					0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Circle	0.257	TC2020			1	1					0.015 TO 0.090	0.017 TO 0.074	0.018 TO 0.059
Circle	0.266				1	1	1				0.015 TO 0.090	0.017 TO 0.074	0.018 TO 0.059
Circle	0.271	TC2020				1					0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Circle	0.277					1					0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Circle	0.281	TC2020			1	1					0.015 TO 0.090	0.017 TO 0.074	0.018 TO 0.059
Circle	0.285	TC2020			1	1	1				0.015 TO 0.090	0.017 TO 0.074	0.018 TO 0.059
Circle	0.290					1					0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Circle	0.291					3					0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Circle	0.295					1					0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Circle	0.313	TC200						1			0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Circle	0.324						1				0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Circle	0.328						1	2			0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Circle	0.332	TC2020				1	1				0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Circle	0.344	TC2020,200			1						0.015 TO 0.063	0.017 TO 0.047	0.018 TO 0.036
Circle	0.346						2				0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Circle	0.358					1		1			0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121




HANSEN Industries Ltd

Tool Library

Regular Shape/Punch Tool

SHAPE	SIZE IN	MULTI TOOL	DIE CLEARANCE								CUTTING THICKNESS (Inch)		
			.002"	.004"	.006"	.010"	.012"	.020"	.030"	.035"	Aluminum	CRS	Stainless steel
Circle	0.360	TC2020				1					0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Circle	0.375	TC2020,200			1	1					0.015 TO 0.090	0.017 TO 0.074	0.018 TO 0.059
Circle	0.391				1	1					0.015 TO 0.090	0.017 TO 0.074	0.018 TO 0.059
Circle	0.393	TC2020			1		1				0.015 TO 0.090	0.017 TO 0.074	0.018 TO 0.059
Circle	0.406	TC2020			1	1	1				0.015 TO 0.090	0.017 TO 0.074	0.018 TO 0.059
Circle	0.413	TC2020,200			1		1				0.015 TO 0.090	0.017 TO 0.074	0.018 TO 0.059
Circle	0.415					1					0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Circle	0.426					1		1			0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Circle	0.427					1					0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Circle	0.438					1		1	1		0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Circle	0.450						2		1		0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Circle	0.453							2			0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Circle	0.469					1	1	1	1		0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Circle	0.485						1		1		0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Circle	0.500					1	1	1			0.015 TO 0.090	0.017 TO 0.074	0.018 TO 0.059
Circle	0.515					2	2				0.015 TO 0.090	0.017 TO 0.074	0.018 TO 0.059
Circle	0.531					1					0.015 TO 0.063	0.017 TO 0.047	0.018 TO 0.036
Circle	0.547						1				0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Circle	0.551					1	1	2	1		0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Circle	0.560						1				0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Circle	0.563					1		1			0.015 TO 0.090	0.017 TO 0.074	0.018 TO 0.059
Circle	0.570					1					0.015 TO 0.063	0.017 TO 0.047	0.018 TO 0.036
Circle	0.594					1		1			0.015 TO 0.090	0.017 TO 0.074	0.018 TO 0.059
Circle	0.600						1				0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Circle	0.610						1				0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Circle	0.625					1	1	2	2		0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Circle	0.640						1		1		0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Circle	0.650						1				0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Circle	0.656							1			0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Circle	0.675							1			0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Circle	0.687							1			0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Circle	0.688					1		1			0.015 TO 0.090	0.017 TO 0.074	0.018 TO 0.059
Circle	0.719										0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Circle	0.750					1	1	1			0.015 TO 0.090	0.017 TO 0.074	0.018 TO 0.059
Circle	0.787					1	1	1	1		0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Circle	0.790						1				0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Circle	0.813					1		1	1		0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Circle	0.850						1		1		0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Circle	0.860					1	1				0.015 TO 0.090	0.017 TO 0.074	0.018 TO 0.059
Circle	0.875					2	2				0.015 TO 0.090	0.017 TO 0.074	0.018 TO 0.059
Circle	0.885						2				0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Circle	0.891						1				0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Circle	0.906					1	1		1		0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Circle	0.938					1		1			0.015 TO 0.090	0.017 TO 0.074	0.018 TO 0.059
Circle	0.968						1		1		0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Circle	0.980						1		1		0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Circle	1.000					1	2		1		0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Circle	1.015						1		1		0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Circle	1.030						1				0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Circle	1.062						1		1		0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Circle	1.095						1		1		0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Circle	1.125							1	1		0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Circle	1.187					1	1		1		0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Circle	1.250						1		1		0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121




HANSEN Industries Ltd

Tool Library

Regular Shape/Punch Tool

SHAPE	SIZE IN	MULTI TOOL	DIE CLEARANCE								CUTTING THICKNESS (Inch)		
			.002"	.004"	.006"	.010"	.012"	.020"	.030"	.035"	Aluminum	CRS	Stainless steel
Circle	1.300					1					0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Circle	1.312					1		1			0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Circle	1.350					1					0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Circle	1.375						1				0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Circle	1.500										0.015 TO 0.063	0.017 TO 0.047	0.018 TO 0.036
Circle	1.627					1					0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Circle	1.750					1					0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Circle	1.875						1				0.100 TO 0.250	0.104 TO 0.134	0.063 TO 0.121
Circle	2.000						2	1			0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Circle	2.119					1		1			0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Circle	2.125						1	1			0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Circle	2.500					1		1			0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121




HANSEN Industries Ltd

Tool Library

Regular Shape/Punch Tool

SHAPE	SIZE IN	MULTI TOOL	DIE CLEARANCE							CUTTING THICKNESS (Inch)			
			.002"	.004"	.006"	.010"	.012"	.020"	.030"	.035"	Aluminum	CRS	Stainless steel
Square	0.125	TC2020,200				1					0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Square	0.166		1			1					0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Square	0.187	TC2020,200		1		1		1			0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Square	0.208				1		1				0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Square	0.235				1						0.015 TO 0.063	0.017 TO 0.047	0.018 TO 0.036
Square	0.250	TC2020			1	1	1	1			0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Square	0.251					1		1			0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Square	0.255	TC200		1		1		1			0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Square	0.281				1	1	1	2			0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Square	0.328				1		1				0.015 TO 0.090	0.017 TO 0.074	0.018 TO 0.059
Square	0.335				1		1				0.015 TO 0.090	0.017 TO 0.074	0.018 TO 0.059
Square	0.375			1			1	1			0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Square	0.393				1		1				0.015 TO 0.090	0.017 TO 0.074	0.018 TO 0.059
Square	0.437				1	1		1			0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Square	0.484				1	1					0.015 TO 0.090	0.017 TO 0.074	0.018 TO 0.059
Square	0.505			1	1	1		1			0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Square	0.625				1			1			0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Square	0.640					2		1			0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Square	0.750			1	1			1			0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Square	0.800				1	1		1			0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Square	0.875				1			1			0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Square	1.000				1			1			0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Square	1.375				1	1		1			0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Square	1.500					1		1			0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Square	2.000					1		1			0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121




HANSEN Industries Ltd


Tool Library

Regular Shape/Punch Tool

SHAPE	SIZE IN	MULTI TOOL	DIE CLEARANCE							CUTTING THICKNESS (Inch)			
			.002"	.004"	.006"	.010"	.012"	.020"	.030"	.035"	Aluminum	CRS	Stainless steel
Obround	0.094 x 0.188					1		1			0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Obround	0.094 x 0.300					1		1			0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Obround	0.100 x 0.400					1					0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Obround	0.100 x 1.000					1					0.015 TO 0.063	0.017 TO 0.047	0.018 TO 0.036
Obround	0.100 x 1.200					1					0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Obround	0.100x 2.500					1					0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Obround	0.125 x 0.218					2					0.015 TO 0.063	0.017 TO 0.047	0.018 TO 0.036
Obround	0.125 x 0.375					1		1			0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Obround	0.125 x 0.500					1	1	1			0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Obround	0.125 x 0.875					1		1			0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Obround	0.125 x 2.200					1		1			0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Obround	0.147 x 0.194					1					0.015 TO 0.063	0.017 TO 0.047	0.018 TO 0.036
Obround	0.156 x 0.218					1	1				0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Obround	0.156 x 0.375					1	1	1			0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Obround	0.156 x 0.75					1	1	1			0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Obround	0.170 x 0.375					1					0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Obround	0.187 x 0.250					1		1	1		0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Obround	0.187 x 0.375					1	1		1		0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Obround	0.187 x 0.437							1	1		0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Obround	0.187 x 0.750					1		1	1		0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Obround	0.187 x 1.000					2					0.015 TO 0.063	0.017 TO 0.047	0.018 TO 0.036
Obround	0.187 x 2.000					1					0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Obround	0.188 x 0.888					1		1			0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Obround	0.196 x 0.315					1		1			0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Obround	0.200 x 1.910					1					0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Obround	0.203 x 0.468					1		1			0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Obround	0.203 x 1.203					1		1			0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Obround	0.218 x 0.281							1	1		0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Obround	0.218 x 0.375					1	1		1		0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Obround	0.218 x 0.500					1		1	1		0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Obround	0.250 x 0.307					1		1			0.015 TO 0.090	0.017 TO 0.074	0.018 TO 0.059
Obround	0.250x 0.375					1		1			0.015 TO 0.090	0.017 TO 0.074	0.018 TO 0.059
Obround	0.250 x 0.437					1		1			0.015 TO 0.090	0.017 TO 0.074	0.018 TO 0.059
Obround	0.250 x 0.450							1			0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Obround	0.250 x 0.625					1		1			0.015 TO 0.090	0.017 TO 0.074	0.018 TO 0.059
Obround	0.250 x 1.000					1		1			0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Obround	0.250 x 2.750					1		1			0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Obround	0.263 x 0.550							1	1		0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Obround	0.266 x 0.500					1		1	1		0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Obround	0.281 x 0.437					1		1			0.015 TO 0.090	0.017 TO 0.074	0.018 TO 0.059
Obround	0.312 x 0.553							1			0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Obround	0.312 x 0.984					1		1	1		0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Obround	0.327 x 0.406								1		0.100 TO 0.250	0.104 TO 0.134	0.063 TO 0.121
Obround	0.328 x 0.984					1		1	1		0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Obround	0.375 x 0.625					1		1	1		0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Obround	0.375 x 2.829								1		0.100 TO 0.250	0.104 TO 0.134	0.063 TO 0.121
Obround	0.410 x 0.630										0.100 TO 0.250	0.104 TO 0.134	0.063 TO 0.121
Obround	0.420 x 0.660								1		0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Obround	0.420 x 1.750										0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Obround	0.437 x 2.000										0.100 TO 0.250	0.104 TO 0.134	0.063 TO 0.121
Obround	0.438 x 0.750										0.100 TO 0.250	0.104 TO 0.134	0.063 TO 0.121
Obround	0.438 x 2.000								1		0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Obround	0.136x0.250					2							



SHAPE	SIZE IN	MULTI TOOL	DIE CLEARANCE								CUTTING THICKNESS (Inch)		
			.002"	.004"	.006"	.010"	.012"	.020"	.030"	.035"	Aluminum	CRS	Stainless steel
Rectangle	0.040 x 0.300	TC2020	1	1	2		1	1			0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Rectangle	0.040 x 0.400				1		1				0.015 TO 0.090	0.017 TO 0.074	0.018 TO 0.059
Rectangle	0.040 x 0.500				1	1					0.015 TO 0.090	0.017 TO 0.074	0.018 TO 0.059
Rectangle	0.052 x 0.200				2	1					0.015 TO 0.090	0.017 TO 0.074	0.018 TO 0.059
Rectangle	0.055 x 0.300										0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Rectangle	0.063 x 0.500				1	1		1			0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Rectangle	0.066 x 0.500							1			0.100 TO 0.250	0.104 TO 0.134	0.063 TO 0.121
Rectangle	0.072 x 0.316				1	1		1			0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Rectangle	0.072 x 0.375				1	1		1			0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Rectangle	0.080 x 1.000					1					0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Rectangle	0.090 x 0.188					1	1				0.015 TO 0.090	0.017 TO 0.074	0.018 TO 0.059
Rectangle	0.090 x 0.550					1		1			0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Rectangle	0.100 x 0.250							1			0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Rectangle	0.100 x 2.750				1	1		1			0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Rectangle	0.112 x 0.600				1		1				0.015 TO 0.090	0.017 TO 0.074	0.018 TO 0.059
Rectangle	0.120 x 0.240							1			0.100 TO 0.250	0.104 TO 0.134	0.063 TO 0.121
Rectangle	0.122 x 0.600				1	1		1			0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Rectangle	0.125 x 0.500	TC2020	1	1	1						0.015 TO 0.090	0.017 TO 0.074	0.018 TO 0.059
Rectangle	0.125 x 1.000		1		2		1				0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Rectangle	0.125 x 2.000			1	1		1				0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Rectangle	0.126 x 0.251				1		1				0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Rectangle	0.138 x 0.220				1		1				0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Rectangle	0.140 x 0.300				1	1					0.015 TO 0.090	0.017 TO 0.074	0.018 TO 0.059
Rectangle	0.150 x 0.625				1		1				0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Rectangle	0.150 x 1.050					1					0.100 TO 0.250	0.104 TO 0.134	0.063 TO 0.121
Rectangle	0.156 x 0.500				1	1		1			0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Rectangle	0.156 x 1.000				1		1				0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Rectangle	0.157 x 0.315							1			0.100 TO 0.250	0.104 TO 0.134	0.063 TO 0.121
Rectangle	0.170 x 0.385							1			0.100 TO 0.250	0.104 TO 0.134	0.063 TO 0.121
Rectangle	0.178 x 0.312					1					0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Rectangle	0.178 x 0.626					1		1			0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Rectangle	0.187 x 0.312			1	1		1				0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Rectangle	0.187 x 1.000			1		1		1			0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Rectangle	0.215 x 0.250			1		1		1			0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Rectangle	0.220 x 0.710				1		1				0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Rectangle	0.225 x 2.450					1					0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Rectangle	0.236 x 0.750				1	1		1			0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Rectangle	0.245 x 0.385							1			0.100 TO 0.250	0.104 TO 0.134	0.063 TO 0.121
Rectangle	0.245 x 0.52				1	2		1			0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Rectangle	0.250 x 0.438				1	1		1			0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Rectangle	0.250 x 1.000	1	1	1	1				1		0.015 TO 0.090	0.017 TO 0.074	0.018 TO 0.059
Rectangle	0.250 x 2.101				1		1		1		0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Rectangle	0.250 x 2.750				1	1		1	2	2	0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Rectangle	0.286 x 2.750				1		1				0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Rectangle	0.313 x 2.750				1						0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Rectangle	0.330 x 1.430				1		1				0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Rectangle	0.375 x 0.500					1		1			0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Rectangle	0.375 x 0.750					1		1			0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Rectangle	0.375 x 1.180				1	1		1			0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Rectangle	0.376 x 1.251							1			0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Rectangle	0.475 x 0.875				1		1	1			0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Rectangle	0.562 x 0.875					1		1			0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Rectangle	0.634 x 1.759							1			0.100 TO 0.250	0.104 TO 0.134	0.063 TO 0.121
Rectangle	0.687 x 0.875				1	1		1			0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Rectangle	0.695 x 0.795					1			1		0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Rectangle	0.800 x 1.000							1			0.100 TO 0.250	0.104 TO 0.134	0.063 TO 0.121
Rectangle	0.820 x 2.100				1		1	1			0.015 TO 0.250	0.017 TO 0.134	0.018 TO 0.121
Rectangle	0.875 x 1.125					1		1			0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Rectangle	0.432x2.069				1								




HANSEN Industries Ltd

Tool Library

Regular Shape/Punch Tool

SHAPE	SIZE IN	MULTI TOOL	DIE CLEARANCE							CUTTING THICKNESS (Inch)			
			.002"	.004"	.006"	.010"	.012"	.020"	.030"	.035"	Aluminum	CRS	Stainless steel
Rounded Rectangle	0.118 x 0.433, R 0.031				1						0.015 TO 0.063	0.017 TO 0.047	0.018 TO 0.036
Rounded Rectangle	0.118 x 0.630, R 0.031							1			0.100 TO 0.250	0.104 TO 0.134	0.063 TO 0.121
Rounded Rectangle	0.255 x 2.575, R 0.063								1		0.100 TO 0.250	0.104 TO 0.134	0.063 TO 0.121
Rounded Rectangle	0.580 x 0.940, R 0.031					1			1		0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Rounded Rectangle	0.730 x 1.539, R 0.250						1				0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059
Rounded Rectangle	0.787 x 1.103, R 0.157						1		1		0.080 TO 0.250	0.059 TO 0.134	0.048 TO 0.121
Rounded Rectangle	0.900 x 1.200, R 0.234							1			0.100 TO 0.250	0.104 TO 0.134	0.063 TO 0.121
Rounded Rectangle	1.351 x 1.473, R 0.065							1			0.080 TO 0.090	0.059 TO 0.074	0.048 TO 0.059



TOOL / DIE SUMMARY

Shape	Tool	Die
Circle	122	251
Square	25	63
Obround	52	98
Rectangle	58	131
Rounded rectangle	8	10
Custom	113	113
TOTAL	378	666